

Submit booking API v1

<https://uat1api.speedybooker.com/submitbooking.aspx>



About this API

Use this API to submit a booking to us once the customer has selected their rooms on your website and are ready to proceed. There are two stages...

1. Submit an HTTP GET request in the background from your server to ours
2. Redirect the customer to the URL given in the XML response to the HTTP GET

Request

The booking submission is made as an HTTP GET with the following parameters:

Name	Description	Type
partnerid	The partner ID which we will supply to you.	Integer
apikey	The API Key which we will supply to you.	String
arrival	The arrival date in the format yyyy-mm-dd	Date
nights	The number of nights the booking is for	Integer
vendorid	The ID of the vendor that the booking is for	String
roomid_x	The room ID of room x. Any number of different rooms can be booked at once by specifying <i>roomid_1</i> , <i>roomid_2</i> and so on (see the example below).	Integer
quantity_x	The quantity of room x to be booked.	Integer
basketid	This is an optional parameter that can be used to compile a basket containing more than one booking. Normally you can omit this.	GUID (optional)

Example:

uat1api.speedybooker.com/submitbooking.aspx?partnerid=123&apikey=abcdef&arrival=2012-06-14&nights=2
&vendorid=abc&roomid_1=910&quantity_1=1&roomid_2=920&quantity_2=3

Response

An XML document is returned with the following elements:

Name	Description	Attributes	Type
bookingsubmission	Document root node		Container
status			Container
code	The status code – see below		Integer
message	Details for the status code if applicable		String
bookingid	The automatically generated ID for this booking		Integer
basketid	The basket ID for this booking. If you supplied a basket ID in the request, this will be used, otherwise a basket ID will be generated by our system. If you want to add additional bookings to the basket, you need to pass this basket ID back in with the next request.		GUID
totalprice	The total price of the booking for all nights	currency: The currency of the booking	Decimal
redirecturl	This is the URL that you need to redirect the customer to so that they can finalise their booking. It contains the basket ID and your partner ID as well as some other information.		URL

Status codes

Code	Description
0	Success
1	Problem with the arrival date
2	Invalid number of nights
3	Problem with the vendor ID
4	Problem with the room data
5	Problem with the basket ID (if supplied)
6	Insufficient availability
10	Invalid credentials or authentication error

Example response

```
<?xml version="1.0" encoding="utf-8"?>
<bookingsubmission>
  <status>
    <code>0</code>
    <message />
  </status>
  <bookingid>254370</bookingid>
  <basketid>ebba703b-eb65-4279-98db-275ac61c0896</basketid>
  <totalprice currency="GBP">360.00</totalprice>
  <redirecturl>http://www.speedybooker.com/book/jump.aspx?basketId=ebba703b-eb65-4279-98db-
    275ac61c0896&partnerid=123&lang=en</redirecturl>
</bookingsubmission>
```

Notes

API URLs given in this document are for the test environment. For the live environment replace “uat1api” with “api”.