

## Vendor List API v2



<https://uat1api.speedybooker.com/vendorlist.aspx>

### About this API

Use this API to get a list of all the vendors that are “Live” in your partner account. To add or remove vendors, log in to *admin.speedybooker.com* and go to the Vendors tab.

The result is generated in real time and is not cached on our server. If you are hitting the API regularly, please consider caching it at your end.

### Request

The request is made as an HTTP GET with the following parameters:

Name	Requirement	Description	Type
<b>partnerid</b>	Required	The partner ID which we will supply to you.	Integer
<b>apikey</b>	Required	The API Key which we will supply to you.	String
<b>locationid</b>	Optional	If you supply a location ID (you can get these from our Location List API) then only vendors in that location will be listed.	Integer
<b>minphotowidth</b>	Optional	The minimum acceptable width in pixels for vendor photos. If a vendor does not have any photos that meet this requirement they will not be included in the list.	Integer

#### Example request for all vendors:

<uat1api.speedybooker.com/vendorlist.aspx?partnerid=123&apikey=abcdef>

#### Example request for vendors in Cambridge with a photo at least 500 pixels wide:

<uat1api.speedybooker.com/vendorlist.aspx?partnerid=123&apikey=abcdef&locationid=3&minphotowidth=500>

## Response

An XML document is returned with the following elements:

Name	Description	Attributes	Type
<b>vendorlist</b>	Document root node		Container
<b>status</b>			Container
<b>code</b>	The status code – see below		Integer
<b>message</b>	Details for the status code if applicable		String
<b>vendor</b>		<b>id:</b> The ID of the property (String)	Container
<b>name</b>	The name of the vendor		String
<b>type</b>	The type of vendor. Possible values are <i>Stay</i> , <i>Rent</i> , <i>Visit</i> or <i>Tour</i> .		String
<b>category</b>	The category of vendor. For example <b>University Residence</b>		String
<b>location</b>	The location of the vendor	<b>proximity:</b> Possible values are <i>in</i> or <i>near</i> <b>id:</b> The ID of the location (Integer)	String
<b>postcode</b>	The vendor's postcode, usually with a space after the outward code		String
<b>summary</b>	A brief summary of the vendor, maximum length 150 characters		String
<b>photourl</b>	The URL of the thumbnail photo for the vendor hosted by us		URL
<b>lat</b>	The latitude of the vendor		Decimal
<b>lng</b>	The longitude of the vendor		Decimal
<b>minnights</b>	The minimum night requirement for bookings here, if applicable		Integer
<b>minnightsweekend</b>	The minimum night requirement for bookings here at weekends		Integer
<b>currency</b>	The preferred currency of the vendor, for example <b>GBP</b> or <b>EUR</b> .		String
<b>language</b>	The primary language of the vendor, for example <b>en</b> or <b>fr</b>		String
<b>numphotos</b>	The number of photos (excluding the thumbnail above) that the vendor has. If minphotowidth is specified then only photos that meet the requirements will be counted.		Integer

<b>lastupdated</b>	The date and time when the vendor's details were last updated, including all text and photos. ISO 8601 format is used, always in UTC time zone. For example <b>2013-01-17T14:03:56Z</b>		DateTime
<b>tbnurl</b>	The URL of the vendor's page on the Travel Booking Network website		URL

## Status codes

Code	Description
<b>0</b>	Success
<b>1</b>	Problem with the supplied locationid
<b>2</b>	Problem with the supplied minphotowidth
<b>10</b>	Invalid credentials or authentication error

## Notes

API URLs given in this document are for the test environment. For the live environment replace "uat1api" with "api".